## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

O OTHER:

L Number	Hits	Search Text	DB	Time stamp
1	29	(US-6158049-\$ or US-5933643-\$ or	USPAT;	2004/09/04
		US-6477683-\$ or US-6681387-\$ or	US-PGPUB;	13:03
Ì		US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or	DERWENT	
}		US-6598221-\$ or US-6467082-\$ or		}
}		US-6493868-\$ or US-6219796-\$ or		
		US-6125334-\$ or US-5958061-\$ or		
		US-5911059-\$ or US-5574927-\$ or		
		US-6732256-\$ or US-5557557-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or		
		US-20020066091-\$ or US-20040015931-\$ or		
		US-20020144241-\$ or US-20020066088-\$ or		
Į.		US-20020147969-\$).did. or (US-6158049-\$		
1		or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$).did.		
2	5	((US-6158049-\$ or US-5933643-\$ or	USPAT;	2004/09/04
		US-6477683-\$ or US-6681387-\$ or	US-PGPUB;	13:04
į		US-5815720-\$ or US-6415436-\$ or	EPO; JPO;	
}		US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6467082-\$ or	DERWENT; IBM TDB	
		US-6493868-\$ or US-6219796-\$ or	TOTTIDE	
		US-6125334-\$ or US-5958061-\$ or		
		US-5911059-\$ or US-5574927-\$ or		1
		US-6732256-\$ or US-5557557-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or		
1		US-20020066091-\$ or US-20040015931-\$ or		
, }		US-20020144241-\$ or US-20020066088-\$ or		
		US-20020147969-\$).did. or (US-6158049-\$		
1		or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$).did.) and RISC and CISC		
4	3426	((717/105, 127, 136-138, 140, 151-152, 158, 160)	USPAT;	2004/09/04
1		or (712/41,203) or (703/22,23) or	US-PGPUB;	13:26
		(706/45)).CCLS.	EPO; JPO;	
i			DERWENT; IBM TDB	
6	114	(((717/105,127,136-138,140,151-152,158,160		2004/09/04
1		or (712/41,203) or (703/22,23) or	US-PGPUB;	13:29
1		(706/45)).CCLS.) and host and target and	EPO; JPO;	
}		embedded and optimi\$5 andrecompil\$6 and (profil\$5 same (captur\$3 or obtain\$4-or-	DERWENT; -IBM TDB	
		gather\$4 or stor\$4or collect\$4))		
7	1	(@ad<=20010928 or @rlad<=20010928) and	USPAT;	2004/09/04
		(compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. and	US-PGPUB; EPO; JPO;	13:30
		\ ((((717/105,127,136-138,140,151=152,158,16		
		or (712/41,203) or (703/22,23) or	IBM_TDB	
		(706/45)).CCLS.) and host and target and		
		embedded and optimi\$5 andrecompil\$6 and (profil\$5 same (captur\$3 or obtain\$4 or		
		gather\$4 or stor\$4or collect\$4)))		
~	123	(@ad<=20010928 or @rlad<=20010928) and	USPAT;	2004/09/03
		((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	09:08
		and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and	EPO; JPO; DERWENT;	
		profil\$3).clm.)	IBM TDB	
-	70	((@ad<=20010928 or @rlad<=20010928) and	USPĀT;	2004/09/02
		((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	12:32
		and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and	EPO; JPO; DERWENT;	
		profil\$3).clm. )) not 717/\$	IBM TDB	
-	70	((@ad<=20010928 or @rlad<=20010928) and	USPĀT;	2004/09/02
		((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	13:12
		and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and	EPO; JPO; DERWENT;	
		profil\$3).clm. )) not 717/\$	IBM TDB	
-	178	(execut\$5 or optimi\$6 or reduc\$5) near6	USPAT;	2004/09/02
		( (using or "based on" or includ\$4 or	US-PGPUB;	12:49
		incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or	EPO; JPO; DERWENT;	1
1		statistic or measurement or collection)))	IBM TDB	
1		States of MeasureMent of Colicetion //	IDM IDD	

,£'|}"

-	123	(@ad<=20010928 or @rlad<=20010928) and	USPAT;	2004/09/04
	123	((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	13:30
		and profil\$3).ab. or (compil\$4 and		13:30
		(instrument\$5 or optimi\$6) and	EPO; JPO;	
		profil\$3).clm.)	DERWENT;	
-	10		IBM_TDB	0001/00/00
	10		USPAT;	2004/09/02
		(((compiled same execution same optimi\$6)	US-PGPUB;	12:52
		and profil\$3).ab. or ((compiled same	EPO; JPO;	
		execution same optimi\$6) and	DERWENT;	
		profil\$3).clm.)	IBM TDB	
*	24	((execut\$5 or optimi\$6 or reduc\$5) near6	USPAT;	2004/09/02
		( (using or "based on" or includ\$4 or	US-PGPUB;	12:52
		incorporat\$4 ) near5 (profil\$3 adj2 (data	EPO; JPO;	
		or information or result or paramet\$4 or	DERWENT;	
		statistic or measurement or	IBM TDB	
		collection)))) and ((@ad<=20010928 or		1
		@rlad<=20010928) and ((compil\$4 and		
	1	(instrument\$5 or optimi\$6) and	]	
	1	profil\$3).ab. or (compil\$4 and	Ì	
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) )		1
	2		****	1
	1	(((@ad<=20010928 or @rlad<=20010928) and	USPAT;	2004/09/02
		((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	13:10
		and profil\$3).ab. or (compil\$4 and	EPO; JPO;	
		(instrument\$5 or optimi\$6) and	DERWENT;	1
		profil\$3).clm. )) not 717/\$ ) and (	IBM TDB	
		recompil\$6 or ((first and second or	_	
		successiv\$5) near6 (version same		
		compiled))) and (((incremental\$5 or		
		successiv\$6 or iterativ\$6 or repeat\$6 )		
		near4 execut\$4) or re-execut\$5 )		
	6	6158049.URPN.	USPAT	2004/09/02
	ì		USIAI	13:05
	13	(profil\$3 same optimi\$6).ti. and 717/\$	USPAT;	
		(Profile) Same operation, etc. and /1//5		2004/09/02
•			US-PGPUB;	13:12
			EPO; JPO;	
			DERWENT;	
	1 1 1	//mmafild3	IBM_TDB	[
	13	((profil\$3 same optimi\$6).ti. and 717/\$)	USPAT;	2004/09/02
		and (@ad<=20010928 or @rlad<=20010928)	US-PGPUB;	13:52
			EPO; JPO;	
	[		DERWENT;	
•				
	305	((((@ad<=20010928 or @rlad<=20010928) and	DERWENT;	2004/09/02
,	305	((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6)	DERWENT; IBM_TDB	2004/09/02 13:52
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/02 13:52
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
· 	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
	305	<pre>((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or   ((execut\$5 or optimi\$6 or reduc\$5) near6</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	<pre>((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or   ((execut\$5 or optimi\$6 or reduc\$5) near6   ( using or "based on" or includ\$4 or</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	<pre>((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or   ((execut\$5 or optimi\$6 or reduc\$5) near6   ( using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data)</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
,	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. ) ) or ((profil\$3 same	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
	305	((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not 717/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	

-	21	((((@ad<=20010928 or @rlad<=20010928)	USPAT;	2004/09/02
		and ((compil\$4 and (instrument\$5 or	US-PGPUB;	14:33
		optimi\$6) and profil\$3).ab. or (compil\$4	EPO; JPO;	1
		and (instrument\$5 or optimi\$6) and	DERWENT;	-
1	ļ.	profil\$3).clm. )) not 717/\$ ) or	IBM TDB	
		((execut\$5 or optimi\$6 or reduc\$5) near6	_	
	1	( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
ļ	į.	or information or result or paramet\$4 or		
		statistic or measurement or		
į		collection)))) or ((@ad<=20010928 or		ļ
		@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
	Ì	profil\$3).ab. or (compil\$4 and		
i	ļ	(instrument\$5 or optimi\$6) and	Į	ŀ
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$)) or (((profile		ļ
		adj2 (based or driven or assist\$4)) near3		
		compilation) and optimi\$6)) not		
		((((@ad<=20010928 or @rlad<=20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6)		
		and profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. )) not 717/\$ ) or		
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
	1	or information or result or paramet\$4 or		
	}	statistic or measurement or		
	1	collection)))) or ((@ad<=20010928 or		Ì
		@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		1
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		1
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$))		

Γ	21	1/////004<-20010020	LICENE.	10004/00/00
-	21	(((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or	USPAT;	2004/09/02
		optimi\$6) and profil\$3).ab. or (compil\$4	US-PGPUB;	14:22
			EPO; JPO;	
		and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or	DERWENT;	
			IBM_TDB	
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and		
	ŀ	(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$)) or (((profile		
		adj2 (based or driven or assist\$4)) near3	1	
		compilation) and optimi\$6)) not		
		(((@ad<=20010928 or @rlad<=20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6)		
	1	and profil\$3).ab. or (compil\$4 and	1	
	}	(instrument\$5 or optimi\$6) and		
		profil\$3).clm. )) not 717/\$ ) or	1	
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or	1	
		incorporat\$4 ) near5 (profil\$3 adj2 (data	1	
		or information or result or paramet\$4 or		
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		1
i		optimi\$6).ti. and 717/\$))) and		
	_	(@ad<=20010928 or @rlad<=20010928)		
_	4	((((@ad<=20010928 or @rlad<=20010928) and	1	2004/09/02
		((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	14:23
		and profil\$3).ab. or (compil\$4 and	EPO; JPO;	
		(instrument\$5 or optimi\$6) and	DERWENT;	
		profil\$3).clm. )) not 717/\$ ) or	IBM_TDB	
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
		statistic or measurement or		1
	1	collection)))) or ((@ad<=20010928 or		
	1	@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
	1	profil\$3).ab. or (compil\$4 and		1
		<pre>profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and</pre>		
		<pre>profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and   profil\$3).clm. ) ) or ((profil\$3 same</pre>		
		<pre>profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and   profil\$3).clm. ) ) or ((profil\$3 same   optimi\$6).ti. and 717/\$)) and (((profile))</pre>		
		<pre>profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and   profil\$3).clm. ) ) or ((profil\$3 same</pre>		
		<pre>profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and   profil\$3).clm. ) ) or ((profil\$3 same   optimi\$6).ti. and 717/\$)) and (((profile))</pre>		
_	1	<pre>profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and   profil\$3).clm. ) ) or ((profil\$3 same   optimi\$6).ti. and 717/\$)) and (((profile   adj2 (based or driven or assist\$4)) near3   compilation) and optimi\$6)</pre>	USPAT;	2004/09/02
-	1	<pre>profil\$3).ab. or (compil\$4 and   (instrument\$5 or optimi\$6) and   profil\$3).clm. ) ) or ((profil\$3 same   optimi\$6).ti. and 717/\$)) and (((profile   adj2 (based or driven or assist\$4)) near3   compilation) and optimi\$6)</pre>	USPAT; US-PGPUB;	2004/09/02 14:22
-	1	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or	US-PGPUB;	1
-	1	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded)	US-PGPUB; EPO; JPO;	
-	1	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded)	US-PGPUB; EPO; JPO; DERWENT;	1
_		profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	14:22
-	1 46	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	14:22
_		profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	14:22
-		profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/02
-		profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	14:22
	46	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	14:22 2004/09/02 14:32
-		profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)  ((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	14:22 2004/09/02 14:32 2004/09/02
	46	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)  ((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	14:22 2004/09/02 14:32
	46	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)  ((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) near3 processor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	14:22 2004/09/02 14:32 2004/09/02
	46	profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.) or ((profil\$3 same optimi\$6).ti. and 717/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6) (profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)  (profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)  ((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	14:22 2004/09/02 14:32 2004/09/02

_	29	((profile same (compilation or compiled	USPAT;	2004/09/02
_	29	or optimi\$6)) and ((host and embedded)	US-PGPUB;	15:42
	1	same processor)) and (@ad<=20010928 or	EPO; JPO;	10,000
		@rlad<=20010928)	DERWENT;	
		GIIdd Cooloszo,	IBM TDB	
_	6	((((@ad<=20010928 or @rlad<=20010928) and	USPAT;	2004/09/02
		((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	16:15
		and profil\$3).ab. or (compil\$4 and	EPO; JPO;	
		(instrument\$5 or optimi\$6) and	DERWENT;	
		profil\$3).clm. )) not 717/\$ ) or	IBM TDB	
		((execut\$5 or optimi\$6 or reduc\$5) near6	_	
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
	İ	@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and	İ	
1		profil\$3).ab. or (compil\$4 and		
ľ		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$)) and (((profile		
		same (compilation or compiled or		
		optimi\$6)) and ((host and embedded) same		
		processor)) and (@ad<=20010928 or		
		@rlad<=20010928))		
-	1	1 / / /E = - = = - / · · · · · · · · · · · · · · · · · ·	USPAT;	2004/09/02
		and (@ad<=20010928 or @rlad<=20010928))	US-PGPUB;	16:08
		and (((host and embedded) same processor)	EPO; JPO;	
		or DSP or (embedded near3 system))	DERWENT;	
	1		IBM TDB	

	21	(((((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or	USPAT; US-PGPUB;	2004/09/02 15:27
		optimi\$6) and profil\$3).ab. or (compil\$4	EPO; JPO;	13.27
		optimis6) and profits3).ab. of (compily)		
		and (instrument\$5 or optimi\$6) and	DERWENT;	
		profil\$3).clm. )) not 717/\$ ) or	IBM_TDB	
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or	,	
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same	ļ	
		optimi\$6).ti. and 717/\$)) or (((profile		
		adj2 (based or driven or assist\$4)) near3		
		compilation) and optimi\$6)) not		
		((((@ad<=20010928 or @rlad<=20010928) and		1
		(((@ad<=20010928 or @riad<-20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6)		
		and profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. )) not 717/\$ ) or		
	1	((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		1
		(instrument\$5 or optimi\$6) and		1
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$))) and		
		(@ad<=20010928 or @rlad<=20010928)) not		
		((((@ad<=20010928 or @rlad<=20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6)		
		and profil\$3).ab. or (compil\$4 and		İ
		(instrument\$5 or optimi\$6) and	r	
		profil\$3).clm. )) not 717/\$ ) or	}	
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
-	<del>-</del>	or information or result or paramet\$4_or_	-	
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and		·
	1	(instrument\$5 or optimi\$6) and		
	1	profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$))) and		
		((((((@ad<=20010928 or @rlad<=20010928)		
		and ((compil\$4 and (instrument\$5 or		
	1			1
		optimi\$6) and profil\$3).ab. or (compil\$4		
		optimi\$6) and profil\$3).ab. or (compil\$4		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. ) or ((profil\$3 same		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. ) ) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adi2 (based or driven or assist\$4)) near3		
		optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. ) ) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adi2 (based or driven or assist\$4)) near3		
earch Hi	story	optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adj2 (based or driven or assist\$4)) near3		
earch Hi	story	optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. )) not 717/\$ ) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ( (using or "based on" or includ\$4 or incorporat\$4 ) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm. ) ) or ((profil\$3 same optimi\$6).ti. and 717/\$)) or (((profile adi2 (based or driven or assist\$4)) near3		

_	7	(compil\$4 and optimi\$6) and	USPAT;	2004/09/02
	<i>,</i>	(((profile-based or profile-driven) same	US-PGPUB;	16:18
		((DSP or embedded) or (emulat\$4 or	EPO; JPO;	
		simulat\$4))))	DERWENT;	
			IBM TDB	
_	5	((compil\$4 and optimi\$6) and	USPAT;	2004/09/02
	_	(((profile-based or profile-driven) same	US-PGPUB;	16:22
		((DSP or embedded) or (emulat\$4 or	EPO; JPO;	
		simulat\$4))))) and (@ad<=20010928 or	DERWENT;	
		@rlad<=20010928)	IBM_TDB	
-	22	(compil\$4 and optimi\$6) and	USPAT;	2004/09/02
		(((profile-based or profile-driven or	US-PGPUB;	15:42
		profiling) and ((DSP or embedded) same	EPO; JPO;	
		(host and (emulat\$4 or simulat\$4)))))	DERWENT;	
			IBM_TDB	1
-	18		USPAT;	2004/09/02
		(((profile-based or profile-driven or	US-PGPUB;	15:42
		profiling) and ((DSP or embedded) same	EPO; JPO;	
		(host and (emulat\$4 or simulat\$4))))))	DERWENT;	
		and (@ad<=20010928 or @rlad<=20010928)	IBM_TDB	

<u></u>	21	((((((@ad<=20010928 or @rlad<=20010928)	USPAT;	2004/09/02
_	41	and ((compil\$4 and (instrument\$5 or	US-PGPUB;	16:06
		optimi\$6) and profil\$3).ab. or (compil\$4	EPO; JPO;	
		optimise) and profits of (compile)	DERWENT;	
		and (instrument\$5 or optimi\$6) and	IBM TDB	
		profil\$3).clm. )) not 717/\$ ) or	I DM_IDD	
		I LEVECTION OF OBSTUTAGE OF TOWNS I.		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		1
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
	İ	@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$)) or (((profile		
		adj2 (based or driven or assist\$4)) near3		
		compilation) and optimi\$6)) not		
		(((@ad<=20010928 or @rlad<=20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6)		
		and profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. )) not 717/\$ ) or		
		((execut\$5 or optimi\$6 or reduc\$5) near6		i
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
	1	statistic or measurement or		
	Ĭ	collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and		
-		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and profil\$3).clm. ) ) or ((profil\$3 same		
		profits 3).cim. ) / or ((profits 3 same		
		optimi\$6).ti. and 717/\$))) and		
		(@ad<=20010928 or @rlad<=20010928)) not		
		((((@ad<=20010928 or @rlad<=20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6)		
		and profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		- T · · ·
		profil\$3).clm. )) not 717/\$ ) or		
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		1
		incorporat\$4 ) near5 (profil\$3 adj2 (data	,	
		or information or result or paramet\$4 or		
	1	statistic or measurement or		1
		collection)))) or ((@ad<=20010928 or		
	1	@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		į
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same	1	
	1	optimi\$6).ti. and 717/\$))		1

_	1	((((((((@ad<=20010928 or	USPAT;	2004/09/02
		@rlad<=20010928) and ((compil\$4 and	US-PGPUB;	16:12
		(instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and	EPO; JPO;	
		(instrument\$5 or optimi\$6) and	DERWENT; IBM_TDB	
		profil\$3).clm.)) not 717/\$) or	TDM-1DB	
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and (instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$)) or (((profile		
	i	adj2 (based or driven or assist\$4)) near3		
		compilation) and optimi\$6)) not		
		((((@ad<=20010928 or @rlad<=20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. )) not 717/\$ ) or		
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		
		statistic or measurement or		
		collection)))) or ((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and	-	
i		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		
		optimi\$6).ti. and 717/\$))) and		
		(@ad<=20010928 or @rlad<=20010928)) not		
		((((@ad<=20010928 or @rlad<=20010928) and		
		((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. )) not 717/\$ ) or		÷
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
		or information or result or paramet\$4 or		· ·
		statistic or measurement or collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928 or ((ead<=20010928 or erlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
		(instrument\$5 or optimi\$6) and		i i
		profil\$3).clm. ) ) or ((profil\$3 same		1
		optimi\$6).ti. and 717/\$))) or		
		((((((((@ad<=20010928 or @rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and		
E		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. )) not 717/\$ ) or		
		((execut\$5 or optimi\$6 or reduc\$5) near6		
		( (using or "based on" or includ\$4 or		
		incorporat\$4 ) near5 (profil\$3 adj2 (data		
	İ	or information or result or paramets4 or statistic or measurement or		
		collection)))) or ((@ad<=20010928 or		
		@rlad<=20010928) and ((compil\$4 and		
		(instrument\$5 or optimi\$6) and		
		profil\$3).ab. or (compil\$4 and	ļ	
		(instrument\$5 or optimi\$6) and		
		profil\$3).clm. ) ) or ((profil\$3 same		
earch His	tory 9	797tim; \$6) .ti. and 717/\$) or (((profile		
		adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not		
:\APPS\EA	ST\Worksn	adds (Cade 620010928 or Crlad <= 20010928) and	İ	
,	- (	and languages of GIIad/-Z0010378) and	1	

-	1	23	(profiling same (instrumented or	USPAT;	2004/09/02
			instrumentation)) and (host and	US-PGPUB;	16:21
			(embedded or DSP)) and (simulat\$4 or	EPO; JPO;	
			emulat\$4 or FPGA)	DERWENT;	
				IBM_TDB	
-		4	((((@ad<=20010928 or @rlad<=20010928) and	USPAT;	2004/09/02
	İ		((compil\$4 and (instrument\$5 or optimi\$6)	US-PGPUB;	16:15
			and profil\$3).ab. or (compil\$4 and	EPO; JPO;	
			(instrument\$5 or optimi\$6) and	DERWENT;	+
	1		profil\$3).clm. )) not 717/\$ ) or	IBM_TDB	
			((execut\$5 or optimi\$6 or reduc\$5) near6		į
			( (using or "based on" or includ\$4 or		
			incorporat\$4 ) near5 (profil\$3 adj2 (data		
			or information or result or paramet\$4 or		
	1		statistic or measurement or		
			collection)))) or ((@ad<=20010928 or		
			@rlad<=20010928) and ((compil\$4 and		
			(instrument\$5 or optimi\$6) and		
			profil\$3).ab. or (compil\$4 and		[
			(instrument\$5 or optimi\$6) and		
	1		profil\$3).clm.)) or ((profil\$3 same		
	[		optimi\$6).ti. and 717/\$)) and ((profiling		
			same (instrumented or instrumentation))		
			and (host and (embedded or DSP)) and		
			(simulat\$4 or emulat\$4 or FPGA))	ticham -	2004/00/03
-	1	1460	(compil\$4 and optimi\$6) and (profiler or	USPAT;	2004/09/03
			profile-based or profile-driven or	US-PGPUB;	09:07
		•	profile-directed or profile) and (DSP or	EPO; JPO;	
	l		embedded or (target and host)) and	DERWENT;	
			(emulat\$4 or simulat\$4 or (in-circuit adj	IBM_TDB	
			emulat\$4))	IIODAM -	2004/00/02
-		30	1 11 .	USPAT;	2004/09/02
			instrumentation)) and ((compil\$4 and	US-PGPUB;	16:21
1			optimi\$6) and (profiler or profile-based	EPO; JPO;	
			or profile-driven or profile-directed or	DERWENT;	
			profile) and (DSP or embedded or (target	IBM_TDB	
			and host)) and (emulat\$4 or simulat\$4 or		
		38	(in-circuit adj emulat\$4))) (profil\$4 same (instrumented or	USPAT;	2004/09/02
_		30	instrumentation)) and ((compil\$4 and	US-PGPUB;	16:21
			optimi\$6) and (profiler or profile-based	EPO; JPO;	10.21
			or profile-driven or profile-directed or	DERWENT;	
			profile) and (DSP or embedded or (target	IBM TDB	
			and host)) and (emulat\$4 or simulat\$4 or	I DII_IDD	
			(in-circuit adj emulat\$4)))		
			((profil\$4 same (instrumented or	USPAT:	-2004/09/02
	-	50	instrumentation)) and ((compil\$4 and	US-PGPUB;	
			optimi\$6) and (profiler or profile-based	EPO; JPO;	
			or profile-driven or profile-directed or	DERWENT;	
			profile) and (DSP or embedded or (target	IBM TDB	
			and host)) and (emulat\$4 or simulat\$4 or	_	
			(in-circuit adj emulat\$4)))) and		
			(@ad<=20010928 or @rlad<=20010928)		
_		6	l '	USPAT	2004/09/02
		1			16:23
-		11	("5613118"   "5655122"   "5689712"	USPAT	2004/09/02
			"5704053"   "5729726"   "5768500"		16:24
			"5768592"   "5809450"   "5815720"		1
			"5832289"   "5838976").PN.		
-		30	5815720.URPN.	USPAT	2004/09/02
	1				16:26
-		90	((compil\$4 and optimi\$6) and (profiler or	USPAT;	2004/09/02
			profile-based or profile-driven or	US-PGPUB;	16:57
			profile-directed or profile) and (DSP or	EPO; JPO;	
			embedded or (target and host)) and	DERWENT;	
			(emulat\$4 or simulat\$4 or (in-circuit adj	IBM_TDB	
			emulat\$4))) and ((embedded adj2		
			(processor or controller)) or DSP) and		
			(host same target) and (emulat\$4 or		
L		İ	simulat\$4)		

				0004/00/00
	77	(((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adjemulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:57
_	13	((((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adjemulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<=20010928 or @rlad<=20010928)) and (optimi\$4 or compil\$4 or simulat\$4 or embedded or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:59
	13	emulat\$4).ab.  (((((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adjemulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<=20010928 or @rlad<=20010928)) and (optimi\$4 or compil\$4 or simulat\$4 or embedded or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/02 16:59
-	603	<pre>emulat\$4).ab.) not Bowman.in. ("5535393"   "5862383"   "5933641"   "5966143").PN. (emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))</pre>	USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/02 17:27 2004/09/03 09:04
-	137	(compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/03 09:57
-	12	Hewlett-Packard) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)) (Hwu or Mahlke or Conte or Gillian) in and profiling and (@ad<=20010928 or @rlad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/03
	21	((emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:10

-	9	(((emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (@ad<=20010928)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:11
_	2	6125334.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03
-	1	6467082.URPN.	USPAT	2004/09/03 09:54
	16	("5129064"   "5167023"   "5274811"   "5301325"   "5339238"   "5450575"   "5598560"   "5797014"   "5842017"   "5911059"   "5958061"   "5966537"   "5999734"   "6006022"   "6031992"   "6110226").PN.	USPAT	2004/09/03
-	8	(compil\$4 and optimi\$6) and (("5129064"   "5167023"   "5274811"   "5301325"   "5339238"   "5450575"   "5598560"   "5797014"   "5842017"   "5911059"   "5958061"   "5966537"   "5999734"   "6006022"   "6031992"   "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:57
-	1	((compil\$4 and optimi\$6) and (("5129064"   "5167023"   "5274811"   "5301325"   "5339238"   "5450575"   "5598560"   "5797014"   "5842017"   "5911059"   "5958061"   "5966537"   "5999734"   "6006022"   "6031992"   "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (profiler or profile-based or profile-driven or profile-directed or profile-driven or profile-guided or (PBO and Hewlett-Packard))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 09:57
	3	Hewlett-Packard))  ((compil\$4 and optimi\$6) and (("5129064"   "5167023"   "5274811"   "5301325"   "5339238"   "5450575"   "5598560"   "5797014"   "5842017"   "5911059"   "5958061"   "5966537"   "5999734"   "6006022"   "6031992"   "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (profiler or profile-based or profile-driven or profile-directed or profile-driven or profile-guided or (PBO and Hewlett-Packard))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03
	114	Hyatt.in. and ((integrated adj circuit) or 364/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 10:16
_	4	(Hyatt.in. and ((integrated adj circuit) or 364/\$)) and single-chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 11:11

				1 0004/00/00
_	3	((Hyatt.in. and ((integrated adj circuit) or 364/\$)) and single-chip) and (emulat\$4	USPAT; US-PGPUB;	2004/09/03 10:19
		or simulat\$4)	EPO; JPO; DERWENT;	
			IBM_TDB	0004/00/00
-	145	(single-chip same (emulat\$4 or simulat\$4))	USPAT; US-PGPUB;	2004/09/03
		SIMULACY4))	EPO; JPO;	
			DERWENT;	
-	1	((host and (target or embedded)) adj2	USPAT;	2004/09/03
		(processor or controller)) and	US-PGPUB;	10:52
		((single-chip same (emulat\$4 or simulat\$4)))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1	((emulat\$3 or target or embedded) and host) near8 ( "in one chip" or "in a	USPAT; US-PGPUB;	2004/09/03
		single chip" or "same PC card" or "same	EPO; JPO;	11.20
		circuit" or "same module")	DERWENT;	
_	25	(cross adj2 compiler) and ( host and	IBM_TDB USPAT;	2004/09/03
		(embedded or DSP)) and profil\$4	US-PGPUB;	11:11
			EPO; JPO; DERWENT;	
			IBM_TDB	
	18	((cross adj2 compiler) and ( host and (embedded or DSP)) and profil\$4) and	USPAT; US-PGPUB;	2004/09/03
		(@ad<=20010928 or @rlad<=20010928)	EPO; JPO;	11.22
			DERWENT;	
_	16	(((compil\$4 and optimi\$6) and (profiler	IBM_TDB USPAT;	2004/09/03
		or profile-based or profile-driven or	US-PGPUB;	11:22
		profile-directed or profil\$4 and profile-guided or (PBO and	EPO; JPO; DERWENT;	
		Hewlett-Packard)) and (DSP or embedded or	IBM_TDB	
		<pre>(target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))</pre>		
		or (((emulat\$4 or simulat\$5) and (host		
		and (((target or embedded) adj2		
		(processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and		
		((compil\$4 and optimi\$6) and (profiler or		
		profile-based or profile-driven or profile-directed or profil\$4 and		
		profile-guided or (PBO and		
		Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or		
		simulat\$4 or (in-circuit adj emulat\$4))))		
		"5598560"   "5797014"   "5842017"		
		"5911059"   "5958061"   "5966537"		
		((integrated adj circuit) or 364/\$)) or		
		((single-chip same (emulat\$4 or simulat\$4))) or ((cross adi2 compiler)		
		and ( host and (embedded or DSP)) and		
		profil\$4) ) and (embedded or DSP) and (emulat\$4 or simulat\$4) and (power same		
		profil\$4)	· ·	
		or (("5129064"   "5167023"   "5274811"   "5301325"   "5339238"   "5450575"   "5598560"   "5797014"   "5842017"   "5911059"   "5958061"   "5966537"   "5999734"   "6006022"   "6031992"   "6110226").PN.) or (Hyatt.in. and ((integrated adj circuit) or 364/\$)) or ((single-chip same (emulat\$4 or simulat\$4)) ) or ((cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4) ) and (embedded or DSP) and (emulat\$4 or simulat\$4) and (power same		

	or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or simulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))) or (("5129064"   "5167023"   "5274811"   "5301325"   "5339238"   "5450575"   "5598560"   "5797014"   "5842017"   "5911059"   "5958061"   "5966537"   "5999734"   "6006022"   "6031992"   "6110226").PN.) or (Hyatt.in. and ((integrated adj circuit) or 364/\$)) or ((single-chip same (emulat\$4 or simulat\$4)) ) or ((cross adj2 compiler) and (host and (embedded or DSP)) and (emulat\$4 or simulat\$4) and (power same profil\$4)) and (@ad<=20010928 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 11:49
- 32	@rlad<=20010928) ((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))  (((profile and cross) near8 (compil\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/03 11:49 2004/09/03 12:22
	optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))) and (@ad<=20010928 or @rlad<=20010928) ((((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/03
- 29	target))) and (@ad<=20010928_or_ @rlad<=20010928)) and compiler and (717/\$ or 705/\$) (US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6493868-\$ or US-6125334-\$ or US-6467082-\$ or US-5958061-\$ or US-5574927-\$ or US-5951059-\$ or US-6219796-\$ or US-557557-\$ or US-6732256-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$).did.	_DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT	2004/09/03 17:09

[ -	2	((US-6158049-\$ or US-5933643-\$ or	USPAT;	2004/09/03
1	Ì	US-6477683-\$ or US-6681387-\$ or	US-PGPUB;	17:10
}	}	US-5815720-\$ or US-6415436-\$ or	EPO; JPO;	
		US-6760888-\$ or US-6643630-\$ or	DERWENT;	
		US-6598221-\$ or US-6493868-\$ or	IBM_TDB	1
		US-6125334-\$ or US-6467082-\$ or	_	
į		US-5958061-\$ or US-5574927-\$ or	}	
	1	US-5911059-\$ or US-6219796-\$ or	}	
		US-5557557-\$ or US-6732256-\$).did. or	}	
		(US-20020032804-\$ or US-20010032332-\$ or	1	
	1	US-20020066091-\$ or US-20020144241-\$ or	Ì	ĺ
	1	US-20040015931-\$ or US-20020066088-\$ or	}	
	ţ	US-20020147969-\$).did. or (US-6158049-\$	}	
}	1	or JP-11149380-\$ or EP-689141-\$ or	}	
}	1	EP-428084-\$).did.) and DSP and RTL and	-	{
		VESTIM	L	[



Web Images Groups News Froogle more »

embedded systems Verification Meerwein PDf Search Advanced Search Preferences

Web

Results 1 - 10 of about 53 for embedded systems Verification Meerwein PDF. (0.50 seconds)

Embedded systems verification with FGPA-enhanced in-circuit ...

... Embedded systems verification with FGPA-enhanced in-circuit emulator. ... Madrid, Spain.

SESSION: System level modeling and verification table of contents. ...

portal.acm.org/citation.cfm?id=501821& dl=ACM&coll=GUIDE&CFID=11111111&CFTOKEN=2222222 - Supplemental Result - Similar pages

[PDF] Embedded Systems Verification with FGPA-Enhanced In-Circuit ...

File Format: PDF/Adobe Acrobat

Embedded Systems Verification with FGPA-Enhanced In-Circuit Emulator M. Meerwein,

C. Baumgartner, T. Wieja Robert Bosch GmbH Automotive Equipment Division 8 ...

portal.acm.org/ft\_gateway.cfm?id=501821& type=pdf&coll=portal&dl=ACM&CFID=11111111&CFT...+

Supplemental Result - Similar pages

[ More results from portal acm.org ]

Embedded Systems Verification with FPGA-Enhanced In-Circuit ...

p. 143 Embedded Systems Verification with FPGA-Enhanced In-Circuit Emulator. PDF. ...

M. Meerwein, C. Baumgartner, T. Wieja, Robert Bosch GmbH W. Glauert, University ...

csdl.computer.org/comp/proceedings/ isss/2000/0765/00/07650143abs.htm - 10k - Cached - Similar pages

isss 13th International Symposium on System Synthesis (ISSS'00)

... PDF's require Adobe Acrobat 4.05+ Click Here to ... p. 143 Embedded Systems Verification

with FPGA-Enhanced In-Circuit Emulator M. Meerwein, C. Baumgartner, T ...

csdl.computer.org/comp/proceedings/ isss/2000/0765/00/0765toc.htm - 101k - Cached - Similar pages

[PDF] Linking Codesign and Reuse in Embedded Systems Design

File Format: PDF/Adobe Acrobat - View as HTML

... 8 72703 Reutlingen, Germany Matthias. Meerwein@de.bosch ... into POLIS, where a first

verification can be ... Search, Design Automation for Embedded Systems, Volume 2 ...

www.sigda.org/Archives/ProceedingArchives/ Codes/Codes2000/papers/2000/codes00/pdffiles/05\_2.pdf - Similar pages

[PDF] A New Reactive Processor with Architectural Support for Control ...

File Format PDF/Adobe Acrobat - View as HTML

... Circuit generation and verification of Esterel. ... design methods for concurrent and real-time systems. ... Linking codesign and reuse in embedded systems design. ...

www.ece.auckland.ac.nz/~roop/visif.pdf - Supplemental Result - Similar pages

[PDF] Virtual Synchronization for Fast Distributed Cosimulation of ...

File Format: PDF/Adobe Acrobat - View as HTML

... in a virtual prototype", RSP 2000, 2000, Page(s): 14 -19 [6] Meerwein, M.; Baumgartner,

C.; Wieja, T.; Glauert, W., "Embedded systems verification with FGPA ...

peace.snu.ac.kr/publications/data/73/1747-03-Kim.pdf - Similar pages

[PDF] Combined Data-driven and Event-driven Scheduling Technique for ...

File Format: PDF/Adobe Acrobat - View as HTML

... in a virtual prototype", RSP 2000, 2000, Page(s): 14 -19 [6] M. Meerwein, C.

Baumgartner, T. Wieja, and W. Glauert, "Embedded systems verification with FGPA ...

peace.snu.ac.kr/publications/data/13/virtual\_sync.pdf - Similar pages

Hardware-Software Codesign Papers

... 學號, 姓名, 論文題目, 論文檔案 (PDF), 報告日期及時間. ... 688410068, 廖崇榮, M. Meerwein,

C. Baumgartner ... and Reuse in Embedded Systems Design," CODES ...

www.cs.ccu.edu.tw/~pahsiung/ courses/codesign/resources/otherpub.html - 14k - Sep 3, 2004 - <u>Osched - Similar pages</u>

IEEE Xplore: System Synthesis, 2000. Proceedings. The 13th ...

... Embedded systems verification with FGPA-enhanced in-circuit emulator Meerwein, M.;

Baumgartner, C.; Wieja, T.; Glauert, W. Page(s): 143-148 [Abstract] [PDF Full ...

ieeexplore ieee.org/xpl/tocresult.jsp?isNumber=18921&page=1 - 35k - Supplemental Result - Cached - Similar pages

Goooogle >

Result Page: 1 2 3 4

embedded systems Verification Mee Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google